

**ETIRA****Section 24(c) Special Local Need Label**

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF
MONTANA**

DIVIDEND® XL RTA™**EPA REG. NO 100-826****EPA SLN NO. MT-030007**

**Dividend XL RTA is a seed treatment that controls or suppresses
certain seed-borne and soil-borne diseases in spring barley**

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL
MAY RESULT IN POOR PEST CONTROL, CROP INJURY, AND/OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Dividend XL RTA label.

This labeling must be in the possession of the user at the time of application.

DO NOT apply this product in a way that it will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Dividend XL RTA is a systemic seed dressing which controls or suppresses certain seed-borne, soil-borne, and fall season foliar diseases of barley. It is a mixture of Dividend and Apron XL™ LS. Apron XL LS provides Pythium damping-off activity and Dividend provides activity on the remaining diseases claimed on this label. An EPA-approved coloring agent, pigment Red 48, has been added to the formulation.

Note: Apron XL LS is a systemic fungicide having a specific mode of action. Apron XL LS could be subject to development of insensitive strains of fungi. Development of insensitivity cannot be predicted. Therefore, Syngenta Crop Protection, Inc. cannot assume liability for crop damage resulting from insensitive strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible Apron XL LS insensitive strains of fungi which may occur.

Mixing Procedures

Dividend XL RTA is especially formulated for on-farm treatment using standard slurry or mist-type equipment which accurately meters and mixes a flowable seed treatment. The equipment must provide uniform coverage of Dividend XL RTA on the seed. Uneven seed coverage may not give the desired level of disease control. This product does not require the addition of water for application. Consult the manufacturer of the application equipment you plan to use for suitability for this application and for instructions on operation and calibration of equipment.

Spring Barley

Apply Dividend XL to barley seed at the rates given in the following table:

RATE/CWT	DISEASES CONTROLLED	DISEASES PARTIALLY CONTROLLED ¹
10 fl. oz.	Barley Stripe General Seed Rots ² Fusarium Seed Scab Covered Smut Pythium Damping-Off	Take-All Common Root Rot (<i>Cochliobolus spp.</i>) Fusarium Root Rot Fusarium Crown Rot Rhizoctonia Root Rot
5 fl. oz.	Barley Stripe General Seed Rots ² Fusarium Seed Scab Covered Smut Pythium Damping-Off	Common Root Rot (<i>Cochliobolus spp.</i>) Rhizoctonia Root Rot

¹Partial control can either mean erratic control from good to poor, or consistent control at a level below that generally considered acceptable for commercial disease control.

²General seed rots controlled include those caused by saprophytic organisms, such as *Penicillium* and *Aspergillus*.

Important: (1) **DO NOT** use treated seed for feed, food or oil. (2) **DO NOT** graze, cut for green chop silage or hay or otherwise utilize straw or seed screenings as animal feeds from field in which seeds were planted. (3) **DO NOT** plant any crops other than barley or wheat within 30 days to fields in which treated seeds were planted.

Note: Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with difenconazole fungicide. Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs. Do not plant any crops other than barley or wheat within 30 days in fields in which treated seeds were planted."

Storage and Disposal

Pesticide Storage and Disposal

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Wastes resulting from this use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Do not reuse empty container. Triple rinse (or equivalent), and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities. If burned keep out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire or other emergency, call 1-800-888-8372, day or night.

Apron XL™ and Dividend® XL RTA™ trademarks of Syngenta

24(c) registrant:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

EPA SLN No.: MT-030007

Label Code: MT0826022AA1203

Word: MTDividendXLRTASLNLbI9-16-03